

**FOOT
AND
ANKLE
DOCTOR**
408-370-3338
WWW.DRROBINSON.NET
DR. DOUGLAS ROBINSON,
PODIATRIST

News and Updates **June 2021**



Doctor Robinson celebration after donating one gallon of A+ blood to the Stanford Blood Bank. (8 pints = 1 gallon)

Flip-Flops Are for Politics, Not Your Feet



The arrival of summer weather is accompanied by the emergence of flip-flops. Flip-flops may be convenient, freeing, and sometimes even stylish-looking, but with extended use are harmful to feet and ankles. Especially bad, but commonly worn, are flip-flops sporting thin, totally flat, rubber soles; flimsy straps; and cheap plastic toe posts.

Flip-flops offer minimal support for arches, which can lead to arch discomfort and plantar fasciitis, painful inflammation of the thick band of tissue that extends from the heel to the ball of the foot.

The absence of shock absorption and heel cushioning means feet are under constant duress. The lack of stability makes ankles more prone to sprains.

Feet are also susceptible to cuts and scrapes, stubbed toes, broken toes, torn nail beds, and blisters. Puncture wounds are an enhanced threat and can be deceptive. Damage sometimes appears minimal, but wounds can run deep and trigger infection without proper treatment.

Toes have to continually grip the flip-flops to keep them on one's feet, which can result in tendonitis. A person's walking pattern typically changes, too, which can potentially send a ripple effect of discomfort to the ankles, knees, hips, and back. In addition, bunions can be aggravated, and conditions may be ripened for hammertoes.

Wearing flip-flops for short stretches, such as crossing hot surfaces or walking poolside or through a locker room to minimize contact with fungi (e.g., athlete's foot), can be beneficial, but never wear them for extended periods of time.

If you experience lingering foot or ankle pain, contact our office. If you insist on wearing flip-flops, we can offer suggestions. Some flip-flops are less harmful than others.

DO YOU HAVE KIDS? We want to see them!

Did you give your lousy feet to someone?
Treat them early to prevent long term problems

Schedule a children's foot evaluation with Dr. Robinson, a board certified specialist

Let us take a peek and sleep easier knowing their feet are in good hands!

Douglas Robinson, DPM
131 E. Hamilton Ave. Campbell, CA 95008
408.370.3338
drrobinson.net



NOLARO²⁴ LLC
Member of the NOLARO family of brands

'Riding the Rail' and 'Catching Air'



Skateboarding is a thrill for many kids and some adults as well. It's an excellent overall workout, a great social activity, and an outdoor, fresh-air adventure.

But skateboarding can be tough on feet and ankles. There are a lot of repetitive, forceful motions that can lead to painful foot and heel conditions. For instance, the intense, repetitive gripping motion of the toes while skateboarding stresses the plantar fascia, which can result in heel and arch pain.

The constant pressure exerted on feet can instigate Achilles tendonitis over time or lead to stress fractures. Tricks and jumps can be jarring for feet and ankles, too, and if a person doesn't stick the landing, an ankle sprain or fracture is sometimes in their immediate future.

Neuromas are also a common plight among skateboarders. A pinched nerve in the foot becomes inflamed, and pain, tingling, or numbness manifests between the second and fourth toes. Overuse, overpronation, and poor skateboarding technique may be to blame.

Skateboarders are rightly cautioned to wear proper protective gear, such as a helmet, knee pads, and elbow pads. Proper footwear should also be part of the protective package.

Skate-shoe factory inserts often lack proper arch support and shock absorption — both critical to healthy feet and ankles. Swap out the factory inserts with custom insoles that offer firm arch support, are made of durable material, will not collapse under pressure, and cup the heel (to prevent slippage during maneuvers).

If a skateboarder in your family suffers a foot or ankle injury, address it immediately by scheduling an appointment with our office. We will diagnose and treat the condition, and can offer guidance on proper skateboarding footwear and insoles.

Mark Your Calendars

- June 4** Doughnut Day: "Doughnuts. Is there anything they can't do?" — Homer Simpson
- June 5** National Trails Day: The American Discovery Trail runs from California to Delaware.
- June 7** Chocolate Ice Cream Day: Chocolate and ice cream. The original dream team!
- June 10** Ballpoint Pen Day: First sold in U.S. at Gimbels (New York) on Oct. 29, 1945 (\$12.50!).
- June 13** Weed Your Garden Day: Dandelions are highly flavorful and nutritious weeds.
- June 19** National Kissing Day: Kissing, smooching, swapping spit, osculating ... it's all good.
- June 30** Meteor Watch Day: Meteors are pieces of rock and ice shed by comets.



Don't Allow Rip Currents to Become R.I.P. Currents

Vacationers flock to beaches every summer to frolic in the sand and surf — but don't allow deadly rip currents to ruin the fun.

Rip currents are powerful, narrow channels of fast-moving water flowing away from shore. Swimmers caught in one are swept out to deeper waters, sometimes out of their element ... often without even realizing it.

The United States Lifesaving Association states that over 100 deaths each year can be attributed to rip currents. Rip currents also account for 80 percent of lifeguard beach rescues.

Rip currents are present on all surf beaches in the United States, including the Great Lakes. Their average speed can range up to eight feet per second, enough to overwhelm an Olympic swimmer. Rip currents don't pull people under the water; they pull people farther from the shore. Rip currents also commonly form at jetties and piers.


However, rip currents leave clues as to their location:

- A gap of darker, seemingly calm water (ironically) between areas of breaking waves and whitewater.
- Or, conversely, a channel of water that is choppy and churning more than neighboring waters.
- A line of debris, foam, and seaweed moving seaward.

If in the clutches of a rip current, don't panic; it won't pull you under. Never try to swim against it; it will just fatigue you. Instead, swim parallel to the shoreline to escape its grasp, then come to shore. (This assumes you know how to swim!) Rip currents frequently do not exceed 20 yards in width — safety is much closer than you think.

The following will help, too:

- Learn how to swim!
- Always swim in an area protected by lifeguards.
- Never swim alone.
- Learn to identify rip currents.



Vegetarian Pad Thai

Servings: 4; prep/total time: 30 min.

A fresh, zesty, easy-to-make dish that also leaves room for improvisation.

Ingredients

- 6 ounces uncooked thick rice noodles
- 2 tablespoons packed brown sugar
- 3 tablespoons reduced-sodium soy sauce
- 4 teaspoons rice vinegar
- 2 teaspoons lime juice
- 2 teaspoons olive oil
- 3 medium carrots, shredded
- 1 medium sweet red pepper, cut into thin strips
- 4 green onions, chopped
- 3 garlic cloves, minced
- 4 large eggs, lightly beaten
- 2 cups bean sprouts
- 1/3 cup chopped fresh cilantro
- Chopped peanuts (optional)
- Lime wedges

Directions

1. Prepare noodles according to package directions. Drain; rinse well and drain again. In a small bowl, mix together brown sugar, soy sauce, vinegar, and lime juice.
2. In a large nonstick skillet, heat olive oil over medium-high heat; stir-fry carrots and pepper until crisp-tender, 3-4 minutes. Add green onions and garlic; cook and stir 2 minutes. Remove from pan.
3. Reduce heat to medium. Pour eggs into same pan; cook and stir until no liquid egg remains. Stir in carrot mixture, noodles, and sauce mixture; heat through. Add bean sprouts; toss to combine. Top with cilantro and, if desired, peanuts. Serve with lime wedges.

Nutrition Facts: Serving size, 1 1/4 cups: 339 calories, 8 g fat (2 g saturated fat), 186 mg cholesterol, 701 mg sodium, 55 g carbohydrates (15 g sugars, 4 g fiber), 12 g protein.

*Recipe courtesy of
www.tasteofhome.com.*



Douglas Robinson DPM, FACFAS
131 E Hamilton Ave.
Campbell, CA 95008
(408) 370-3338
www.DrRobinson.net

We have some exciting news to share.
Campbell Podiatry is now on social media!

You can find us on:
Facebook at Campbell Podiatry
Instagram @campbell_podiatry
Twitter @campbellpod
LinkedIn at Douglas Robinson

We would love to connect with all of you
virtually on social media so you can stay
up to date with us and keep the fun rolling!

Sincerely,
The Campbell Podiatry Team

No part of this newsletter may be used or reproduced in any manner whatsoever without written permission of the author. No expressed or implied guarantees have been made or are made by the author or publisher. Individual results may vary. Neither author nor publisher accepts any liability or responsibility to any person with respect to any loss or damage alleged to have been caused by the information in this newsletter. Always seek professional medical advice.

Don't Give Hammertoes a Foothold

Each of our eight smaller toes has three bones (phalanges) and two joints (interphalangeal) — our big toes have one fewer of each.

A hammertoe is a deformity of one or both of the joints of a smaller toe that most commonly results from a muscle/tendon/ligament imbalance. The phalanges should be aligned in fairly straight fashion. With a hammertoe, one of the joints bends (usually the second one from the tip of the toe) and becomes prominent.

A direct injury can predispose someone to a hammertoe. Same thing with overuse (e.g., playing certain sports). Underlying conditions such as diabetes, rheumatoid arthritis, and neuromuscular disorders make it more likely, too. Some inherited foot structures also encourage hammertoe formation more than others.

Shoes that fit poorly are major contributors to hammertoe development as well. A shoe size or toe box that is too small places excessive stress on toes. High heels are infamous for cramping toes, which helps explain why women have more issues with hammertoes than men.

A hammertoe can be painful when wearing shoes, as the misaligned toe's level of friction with the shoe is increased. Other friction byproducts include corns and/or calluses on the toes, between the toes, and on the ball of the foot. Inflammation, redness, and swelling may also enter the picture.

A hammertoe will progressively worsen without treatment. Conservative treatment is highly effective in straightening a hammertoe ... if the hammertoe is dealt with in an early stage of development while it's still flexible. A rigid hammertoe may require surgery to relieve pain and improve quality of life.

Don't let a hammertoe gain momentum. Instead, contact our office to schedule a thorough examination.